

MRE

# M.R.ENGINEER

PRODUCT LIST & SPECIFICATIONS

## Contents

(Click on page nos. for going to corresponding page)

<b>1. FIXED ROUND DOWNLIGHT HOUSINGS WITH REFLECTOR.....</b>	<b>3</b>
<b>2. FIXED ROUND DOWNLIGHT HOUSINGS WITH LENS WITH INTEGRAL REFLECTOR .....</b>	<b>7</b>
<b>3. FIXED ROUND DOWNLIGHT HOUSINGS WITH LENS WITH SEPARATE REFLECTOR.....</b>	<b>9</b>
<b>4. SWIVEL DOWNLIGHT HOUSINGS WITH REFLECTOR.....</b>	<b>11</b>
<b>5. SWIVEL ROUND DOWNLIGHT HOUSINGS WITH LENS WITH INTEGRAL REFLECTOR .....</b>	<b>14</b>
<b>6. SWIVEL ROUND DOWNLIGHT HOUSINGS WITH LENS WITH SEPARATE REFLECTOR .....</b>	<b>16</b>
<b>7. SQUARE DOWNLIGHT HOUSINGS WITH REFLECTOR/LENS .....</b>	<b>18</b>
<b>8. ROUND DOWNLIGHT HOUSINGS WITH SINGLE LENS.....</b>	<b>19</b>
<b>9. ROUND DOWNLIGHT HOUSINGS WITH MULTI LENS .....</b>	<b>21</b>
<b>10. SWIVEL ROUND DOWNLIGHT HOUSINGS WITH SINGLE LENS.....</b>	<b>23</b>
<b>11. SWIVEL ROUND DOWNLIGHT HOUSINGS WITH MULTI LENS.....</b>	<b>25</b>
<b>12. ROUND DOWNLIGHT HOUSINGS WITH DIFFUSER .....</b>	<b>26</b>
<b>13. SWIVEL ROUND DOWNLIGHT HOUSINGS WITH DIFFUSER.....</b>	<b>28</b>
<b>14. SQUARE DOWNLIGHT HOUSINGS WITH DIFFUSER .....</b>	<b>30</b>
<b>15. SQUARE BACKLIGHT PANEL LIGHT HOUSINGS.....</b>	<b>31</b>
<b>16. ROUND BACKLIGHT PANEL LIGHT HOUSINGS .....</b>	<b>32</b>
<b>17. ROUND BACKLIGHT PANEL LIGHT HOUSINGS WITH GREATER HEIGHT .....</b>	<b>34</b>
<b>18. SQUARE (EDGE LIT) PANEL LIGHT HOUSINGS .....</b>	<b>35</b>
<b>19. ROUND &amp; SQUARE DOWN LIGHT HOUSINGS –WITH INDIAN REFLECTOR .....</b>	<b>36</b>
<b>20. FLOODLIGHT HOUSINGS .....</b>	<b>38</b>
<b>21. STREET LIGHT HOUSINGS-SERIES V.....</b>	<b>40</b>
<b>22. STREET LIGHT HOUSINGS-SERIES M .....</b>	<b>41</b>

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

1 | Page

- 23. STREET LIGHT HOUSINGS-SERIES S ..... 42**
- 24. HIGH BAY LED HOUSING ..... 45**
- 25. CUSTOM LED FITTING HOUSINGS..... 46**
- 26. MISCELLANEOUS LIGHT FITTING HOUSINGS..... 53**
  - SURFACE MOUNTING LIGHT..... 53
  - SURFACE MOUNTING LIGHT..... 53
  - SURFACE MOUNTING LIGHT..... 53
  - MODULAR ROUND FITTING FOR PHILLIPS FORTIMO ..... 53
  - MODULAR ROUND FITTING FOR PHILLIPS FORTIMO ..... 53
  - WALL WASHER LIGHT HOUSING ..... 53
  - EYEBALL SWIVEL SQUARE FLANGE DOWNLIGHT ..... 53
  - ROUND DOWN LIGHT 15W-R WITH PC REFLECTOR SIMILAR TO PHILIPS ..... 54
  - SQUARE DOWNLIGHT 25W-R WITH PC REFLECTOR SIMILAR TO PHILIPS ..... 54
  - UNDERWATER FITTING..... 54
  - OUTDOOR SPOT LIGHT UP TO 50W ..... 54
  - GARDEN LIGHT FITTING ..... 54
  - GARDEN LIGHT FITTING ..... 54
- 27. HEAT SINKS..... 55**

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment


[Back to Top of Document](#)

## 1. Fixed Round Downlight Housings with Reflector

Suitable for COB LED






(Std COB viz. Lustrous/Cree COB recommended - COB to be used, to be specified)

With Std. reflector and no COB. Special Reflector At Extra Cost.

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	COB Specs	Diffuser Size (mm) / Reflector / Lens model	Photo
1.	Model: RDL-R-3W-F-140W-111W-DK4538/35  Round Downlight COB with reflector	5W	66 Ø /70 Ø	74 Ø /82Ø	COB L104 or equiv. Driver 10V / 320/ 480mA	35mm or 45 mm DK4538/ 35	
2.	Model: RDL-R-6W-P-140V-136V-DK4538  Round Downlight COB with reflector	7W	66 Ø /70 Ø	74 Ø /82Ø	COB L106 or equiv. Driver 32V / 160/ 220mA	45mm dia./ DK4538	
3.	Model: RDL-R-6W-F-129S-Eco-IndRefl  Round Downlight COB with reflector. Suitable for MR16	6W MR16	46 Ø		COB Cree CXA13 04 or equiv. Driver 40V / 100-250mA	45 mm dia. Indian Reflector	
4.	Model: RDL-R-6W-F-129S-IndRefl  Round Downlight COB with reflector. Suitable for MR16	6W MR16	46 Ø		COB Cree CXA13 04 or equiv. Driver 40V / 100-250mA	45 mm dia. Indian Reflector	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

5.	Model: RDL-R-8W-F-129L-A-IndReflect  Round Downlight COB with reflector Suitable for MR16	8W MR16	46 Ø		COB Cree CXA13 04 or equiv. Driver 40V / 100- 250mA	45 mm dia. Indian Reflector	
6.	Model: RDL-R-8W-F-129L-B-DK4538  Round Downlight COB with reflector Suitable for MR16	8W MR16	46 Ø		Lustro us COB	Imported Reflector DK4538	
7.	Model: RDL-R-8W-F-140Y-129LY-DK4538  Round Downlight COB with reflector Suitable for MR16	8W	46 Ø		COB Cree CXA13 04 or equiv. Driver 40V / 100- 250mA	Imported Reflector DK4538	
8.	Model: RDL-R-8W-F-129L-V Ring  Round Downlight COB with reflector Deep Recessed	8W	88Ø	100Ø	COB Cree CXA13 04 or equiv. Driver 40V / 100- 250mA	Imported Reflector DK4538	
9.	Model: RDL-R-11W-P-140X-130X-DK4538  Round Downlight COB with reflector	11W	66 Ø /70 Ø	74 Ø /82Ø	COB L112 or equiv. Driver 32V / 440mA	Imported Reflector 45 mm dia. DK 4538 or 50 mm dia.	




Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

10.	Model: RDL-R-14W-P-138K-108K-DK6938  Round Downlight COB with reflector	14W	91Ø	99Ø	COB L108 or equiv. Driver 40V /240-480mA	Imported Reflector 69 mm dia. DK6938	
11.	Model: RDL-R-14W-P-138RI-108RI-IndRef.  Round Downlight COB with reflector	14W	91Ø	99Ø	COB L108 or equiv. Driver 40V /240-480mA	Indian Reflector 65 or 69 mm dia.	
12.	Model: RDL-R-14W-P-138RKh-108R-Kh  Round Downlight COB with reflector	14W	91Ø	99Ø	COB	65 mm	
13.	Model: RDL-R-14W-P-138Sp-108-DK Stepped Reflector  Round Downlight COB with two step reflector	14W	91Ø	99Ø	COB	69mm	
14.	Model: RDL-R-15W-P-119GEx-127-DK11024  Round Downlight COB with reflector	15W	136Ø	147Ø	COB	Imported Reflector 109 mm dia. glass DK11024	
15.	Model: RDL-R-116-P-119GEx-106-DK11024  Round Downlight COB with reflector	16W	136Ø	147Ø	COB	Imported Reflector 109 mm dia. glass DK11024	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

16.	Model: RDL-R-18W-P-119GEx-133-DK11024  Round Downlight COB with reflector	18W	136 $\emptyset$	147 $\emptyset$	Imported Reflector 109 mm dia. glass DK11024	
17.	Model: RDL-R-25 or 30 or 40 or 50W-X-119G-***-HSEx**-11060-  Round Downlight COB with reflector	25W or 30 or 40 or 50W	136 $\emptyset$	147 $\emptyset$	COB LL 613/ 620/63 0 Driver 36-40V / 625/14 00mA  109mm dia. glass DK11060	
18.	Model: RDL-DR-R-25 or 30 or 40 or 50W-X-119G-+VRing-***-HSEx**-11060-  Round Downlight Deep Recess Fixed suitable for COB with reflector	20W to 50W	166 $\emptyset$	180 $\emptyset$	COB LL 630 Driver 36-40V / 1400m A  DK11024 /11060	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment


[Back to Top of Document](#)

## 2. Fixed Round Downlight Housings with Lens with Integral Reflector

Suitable for COB LED

(Std COB viz. Lustrous/Cree COB recommended - COB to be used, to be specified)

With Std. reflector and no COB. Special Reflector At Extra Cost.



Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	COB Specs	Diffuser Size (mm) / Reflector / Lens model	Photo
19.	Model: RDL-R-14W-P-138RSp-108R-DK Sp with Lens Round Downlight COB with Integral reflector & Lens	14W	91Ø	99Ø	COB LL620 or equiv. Driver 40V /280-500mA	Lens with reflector integral DK7538	
20.	Model: RDL-R-15W-P-119G-Ex-127- D90660 Round Downlight Fixed with Lens with Integral Reflector	15W	136Ø	147Ø		90660	
21.	Model: RDL-R-16W-P-119G-Ex-106- D90660 Round Downlight Fixed with Lens with Integral Reflector	16W	136Ø	147Ø		90660	
22.	Model: RDL-R-18W-F-119G-Ex-133- D90660 Round Downlight Fixed with Lens with Integral Reflector	18W	136Ø	147Ø		90660	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

7 | Page



23.	Model: RDL-R-25W-X-119G-***-HSEx109-**-90660-  Round Downlight COB with Lens with Integral Reflector	25W	136Ø	147Ø	COB LL 613/ 620/63 0 Driver 36-40V / 625/14 00mA	90660- Lens with integral Reflector & with glass 90mm Ø	
24.	Model: RDL-R-30W-X-119G-XCB-HS-Extru109-40-D90660  Round Downlight Fixed with Lens with Integral Reflector	30W	136Ø	147Ø		90660	
25.	Model: RDL-R-40W-X-119G-Ex-XCB-HE-Extru109-60-D90660  Round Downlight Fixed with Lens with Integral Reflector	40W	136Ø	147Ø		90660	Photos on request by Whatsapp or email

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

### 3. Fixed Round Downlight Housings with Lens with separate Reflector

Suitable for COB LED

(Std COB viz. Lustrous/Cree COB recommended - COB to be used, to be specified)

With Std. reflector and no COB. Special Reflector At Extra Cost.

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	COB Specs	Diffuser Size (mm) / Reflector / Lens model	Photo
26.	Model: RDL-R-14W-P-138RSp-108R-DK Sp with Lens  Round Downlight Fixed with Reflector & Lens (Separate) Combination	14W	91Ø	99Ø	COB LL610 or equiv. Driver 40V /280-500mA	75mm-DK7512 R&L	
27.	Model: RDL-R-15W-P-118D-117XB-127-9212  Round Downlight Fixed with Lens with Separate Reflector	15W	136Ø	147Ø		DK9212 R&L	Photos on request by Whatsapp or email
28.	Model: RDL-R-11W-P-118D-117XB-106-9212  Round Downlight Fixed with Lens with Separate Reflector	16W	136Ø	147Ø		DK9212 R&L	Photos on request by Whatsapp or email
29.	Model: RDL-R-11W-P-118D-117XB-133-9212  Round Downlight Fixed with Lens with Separate Reflector	18W	136Ø	147Ø		DK9212 R&L	Photos on request by Whatsapp or email

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

9 | Page

30.	Model: RDL-R-30W-P-118D-117XCB-HS-Extru109-**-9212  Round Downlight Fixed with Lens with Separate Reflector	25W-30W	136Ø	147Ø	DK9212 R&L
31.	Model: RDL-R-40W-X-119G-Ex-XCB-HS-Extru109-**-9212  Round Downlight Fixed with Lens with Separate Reflector	40W	136Ø	147Ø	DK9212 R&L
32.	Model: RDL-DR-R-40W-X-119G-Vring--XCB-HS-Extru109-**-9212  Round Downlight Fixed Deep Recessed with Lens with Separate Reflector	20W to 50W			DK9212 R&L

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)





10 | Page

## 4. Swivel Downlight Housings with Reflector

Suitable for COB LED








(Std COB viz. Lustrous/Cree COB recommended - COB to be used, to be specified)

With Std. reflector and no COB. Special Reflector At Extra Cost.

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	COB Specs	Diffuser Size (mm) / Reflector / Lens model	Photo
33.	Model: SRDL-R-5W-F-140T-141T-111T  Round Downlight Swivel with Reflector	5W	66 $\phi$ /70 $\phi$	74 $\phi$ /82 $\phi$	COB	35 mm DK3536	
34.	Model: SRDL-R-7W-P-138D-140D-136D-DK4538  Round Downlight Swivel with Reflector	7W	86 $\phi$	95 $\phi$	COB L106 or equiv. Driver 32V/160/220mA	45 mm DK4538	
35.	Model: SRDL-R-8W-F-138E-140E-129E  Round Downlight Swivel with Reflector	8W	86 $\phi$	95 $\phi$		45 mm DK4538	
36.	Model: SRDDR-R-8W-F-P.L.-129E  Round Downlight Deep Recess Swivel with Reflector	8W					Photos on request by Whatsapp or email
37.	Model: SRDL-R-11W-P-138F-140F-130F-DK5038  Round Downlight Swivel with Reflector	11W	86 $\phi$	95 $\phi$		50 DK5038	




Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

38.	Model: SRDL-R-11W-P-138G-140G-130G-DK4538 Round Downlight Swivel with Reflector	11W	86Ø	95Ø	43 DK4538	
39.	Model: SRDL-R-14W-P-119CF-138CF-108CF-DK6938 Round Downlight Swivel with Reflector	14W	126 mm	134m m	69 mm DK6938	
40.	Model: SRDL-R-14W-P-119CH-138H-108H-Khatod Round Downlight Swivel with Reflector	14W	120 mm	130m m	69 mm OD	
41.	Model: SRDL-R-15W-P-118D-117XB-127-DK11024 Round Downlight Swivel with Reflector	15W	150	160	110 DK11024 /11060	
42.	Model: SRDL-R-16W-P-118D-117XB-106-DK11024 Round Downlight Swivel with Reflector	16W	150Ø	160Ø	110 DK11024 /11060	
43.	Model: SRDL-R-18W-P-118D-117XB-133-DK11024 Round Downlight Swivel with Reflector	18W	146	160	110 DK11024 /11060	
44.	Model: SRDL-R-30W-P-118D-117XCB-HS-Extru109-DK11024 Round Downlight Swivel with Reflector	25W-30W	146Ø	160Ø	110 DK11024 /11060	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

45.	Model: SRDL-R-40W-P-118D-117XCB-HS-Extru109-DK11024 Round Downlight Swivel with Reflector	40W	146Ø	160Ø	110 DK11024 /11060	
46.	Model: SRDL-R-50W-P-118D-117XCB-HS-Extru109-DK11024 Round Downlight Swivel with Reflector	50W	146Ø	160Ø	110 DK11024 /11060	
47.	Model SSqDL-R-9W-***-DK4538 Square Downlight Swivel with Reflector 9W	9W				

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment


[Back to Top of Document](#)

## 5. Swivel Round Downlight Housings with Lens with Integral Reflector

Suitable for COB LED

(Std COB viz. Lustrous/Cree COB recommended - COB to be used, to be specified)

With Std. reflector and no COB. Special Reflector At Extra Cost.

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	COB Specs	Diffuser Size (mm) / Reflector / Lens model	Photo
48.	Model: SRDL-R-14W-P-119CH-138H-108  Round Downlight Swivel with Lens with Integral Reflector	14W					Photos on request by Whatsapp or email
49.	Model: SRDL-R-15W-P-118D-117XB-127- D90660  Round Downlight Swivel with Lens with Integral Reflector	15W	146Ø	160Ø		90660	
50.	Model: SRDL-R-16W-P-118D-117XB-106- D90660  Round Downlight Swivel with Lens with Integral Reflector	16W	146Ø	160Ø		90660	
51.	Model: SRDL-R-11W-P-118D-117XB-133- D90660  Round Downlight Swivel with Lens with Integral Reflector	18W	146Ø	160Ø		90660	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

14 | Page

52.	Model: SRDL-R-11W-P-118D-117XCB-HE-Extru40-9-D90660 Round Downlight Swivel with Lens with Integral Reflector	30W	146Ø	160Ø	90660	
53.	Model: SRDL-R-11W-P-118D-117XCB-HE-Extru60-D90660 Round Downlight Swivel with Lens with Integral Reflector	40W	146Ø	160Ø	90660	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

15 | Page



## 6. Swivel Round Downlight Housings with Lens with Separate Reflector

Suitable for COB LED

(Std COB viz. Lustrous/Cree COB recommended - COB to be used, to be specified)


With Std. reflector and no COB. Special Reflector At Extra Cost.


Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	COB Specs	Diffuser Size (mm) / Reflector / Lens model	Photo
54.	Model: SRDL-R-14W-P-119CH-138H-108-7512  Round Downlight Swivel with Lens with Separate Reflector	14W				DK7512 R&L	Photos on request by Whatsapp or email
55.	Model: SRDL-R-15W-P-118D-117XB-127-9212  Round Downlight Swivel with Lens with Separate Reflector	15W	146Ø	160Ø		DK9212 R&L	Photos on request by Whatsapp or email
56.	Model: SRDL-R-11W-P-118D-117XB-106-9212  Round Downlight Swivel with Lens with Separate Reflector	16W	146Ø	160Ø		DK9212 R&L	Photos on request by Whatsapp or email
57.	Model: SRDL-R-11W-P-118D-117XB-133-9212  Round Downlight Swivel with Lens with Separate Reflector	18W	146Ø	160Ø		DK9212 R&L	Photos on request by Whatsapp or email

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

16 | Page

58.	Model: SRDL-R-30W-P-118D-117XCB-HE-Extru109-**-9212	25W-30W	146∅	160∅	DK9212 R&L	
	Round Downlight Swivel with Lens with Separate Reflector					

59.	Model: SRDL-R-40W-P-118D-117XCB-HE-Extru0109-**-9212	40W	146∅	160∅	DK9212 R&L	
	Round Downlight Swivel with Lens with Separate Reflector					

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

17 | Page

## 7. Square Downlight Housings with Reflector/Lens

Suitable for Power LED

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
	Model: SDL-R-24W						
60.	Square Downlight with Reflector (Khatod Pixel ) for Power LED	24W	160	190	115	142	
	Model: SDL-ML-24W						
61.	Square Downlight housing for power LED with multi lens (Khatod Nectus Lens) For Power LED	24W max	160	190	115	142	Photos on request by Whatsapp or email
	Model: SDL-ML-9x2W						
62.	Square Downlight housing for power LED with multi lens- (Khatod Matrix Lens-3x3) For Power LED	9-18W max	140	160	95	122	Photos on request by Whatsapp or email




Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

18 | Page




## 8. Round Downlight Housings with Single Lens

(Price does not include lens and COB, if not mentioned )

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
63.	Model: RDL-SL-5W-P-140I-111I-Lens Round Downlight with COB single lens	5W	66 Ø /70 Ø	74 Ø /82Ø		Lens DK4238 JC	Photos on request by Whatsapp or email
64.	Model: RDL-SL-7W-P-140J-136J-Lens Round Downlight with COB single lens	7W	66 Ø /70 Ø	74 Ø /82Ø		Lens DK4238 JC	
65.	Model: RDL-SL-7W-P-140K-136K-Lens Round Downlight with COB single lens	7W	66 Ø /70 Ø	74 Ø /82Ø		Lens 2LO100 36 /10W	
66.	Model: RDL-SL-8W-P-140L-129LL-Lens Round Downlight with COB single lens	8W	66 Ø /70 Ø	74 Ø /82Ø		Lens DK4238 JC	Photos on request by Whatsapp or email
67.	Model: RDL-SL-11W-P-140M-130M-Lens Round Downlight with COB single lens	11W	66 Ø /70 Ø	74 Ø /82Ø		Lens DK4238 JC	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)




68.	Model: RDL-SL-11W-P-140N-130N-Lens Round Downlight with COB single lens	11W	66 $\emptyset$ /70 $\emptyset$	74 $\emptyset$ /82 $\emptyset$	Lens 2LO100 36 /10W	
69.	Model: RDL-SL-14W-P-138I-108I-Lens Round Downlight with COB single lens	14W	91 $\emptyset$	99 $\emptyset$	Lens DK4238 JC	
70.	Model: RDL-SL-14W-P-138J-108J-Lens Round Downlight with COB single lens	14W	91 $\emptyset$	99 $\emptyset$	Lens 2LO100 36 /10W	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

## 9. Round Downlight Housings with Multi lens



(Price does not include multi-lens or MCPCB. However lenses with suitable MCPCB available on request for certain M.O.Q.)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
71.	Model: RDL-ML3-5W-P-140U-111U-Multilense  Round Downlight for Power LED with multi lens	5W	66 Ø /70 Ø	74 Ø /82Ø			
72.	Model: RDL-M-7W-P-140-O-136-O-Multilense  Round Downlight for Power LED with multi lens	7W	66 Ø /70 Ø	74 Ø /82Ø			
73.	Model: RDL-ML3-8W-F-140P-129P  Round Downlight for Power LED with multi lens	8W	66 Ø /70 Ø	74 Ø /82Ø			
74.	Model: RDL-ML4-11W-P-140Q-130Q  Round Downlight for Power LED with multi lens	11W	66 Ø /70 Ø	74 Ø /82Ø			
75.	Model: RDL-ML9-14W-P-138-108  Round Downlight for Power LED with multi lens	14W	91Ø	99Ø			

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)


21 | Page

76.	Model: RDL-ML9-15W-P-119-127 Round Downlight for Power LED with multi lens	15W	120Ø	135Ø	87Ø	106Ø	
77.	Model: RDL-ML11-16W-P-119G-106 Round Downlight for Power LED with multi lens	16W	135Ø	147Ø	87Ø	106Ø	
78.	Model: RDL-ML12-16W-P-119-106 Round Downlight for Power LED with multi lens	16W	120Ø	135Ø	87Ø		
79.	Model: RDL-ML12-18W-P-119-133 Round Downlight for Power LED with multi lens	18W	120Ø	135	87Ø	106	
80.	Model: RDL-ML12-24-36W-119G-ExtruHS109 Round Downlight for Power LED with multi lens	24W-36W	135	147			

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

## 10. Swivel Round Downlight Housings with Single Lens

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
81.	Model: SRDL-SL-5W-P-***-***- 111- DK4238JC  Round Downlight Swivel with COB single lens	5W				Lens DK4238 JC	
82.	Model: SRDL-SL-7W-P-***-***- 136- DK4238JC  Round Downlight Swivel with COB single lens	7W				Lens DK4238 JC	
83.	Model: SRDL-SL-7W-P-***-***- 136-2LO10036  Round Downlight Swivel with COB single lens	7W				Lens 2LO100 36 /10W	
84.	Model: SRDL-SL-8W-P-***-***- MR16-129- DK4238JC  Round Downlight Swivel with COB single lens	8W				Lense DK4238 JC	
85.	Model: SRDL-SL-11W-P-***-***- 130- DK4238JC  Round Downlight Swivel with COB single lens	11W				Lense DK4238 JC	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

23 | Page




86.	Model: SRDL-SL-9W-P-***-***- 130-2LO10036	11W	Lens 2LO100 36 /10W
	Round Downlight Swivel with COB single lens		
87.	Model: SRDL-SL-11W-P-***-***- 108-2LO10036	14W	Lens 2LO100 36 /10W
	Round Downlight Swivel with COB single lens		

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

24 | Page

## 11. Swivel Round Downlight Housings with Multi Lens

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
88.	Model: SRDL-ML-6W-P-***_***--111 Round Downlight Swivel with multi lens	3-6W					
89.	Model: SRDL-ML-15W-P-117-118-127 Round Downlight Swivel with multi lens	15W					
90.	Model: SRDL-ML-16W-P-117-118-106 Round Downlight Swivel with multi lens	16W					
91.	Model: SRDL-ML-18W-P-117-118-133 Round Downlight Swivel with multi lens	18W					
92.		24W					
93.		36W					

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment






[Back to Top of Document](#)

25 | Page

## 12. Round Downlight Housings with Diffuser

(With Std. diffuser. Special Diffuser At Extra Cost. MCPCB available on request)

10% discount if Qty exceeds 500 nos

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
94.	Model: RDL-D-5W-F-140A-111A Round Downlight with diffuser with Pin heat sink suitable for SMD 5360 or Power LED 1W	5W	66 $\phi$ /70 $\phi$	74 $\phi$ /82 $\phi$	45 $\phi$	47 $\phi$	
95.	Model: RDL-D-7W-P-140A-136A Round Downlight with diffuser with Pin heat sink suitable for SMD 5360 or Power LED 1W	7W	66 $\phi$ /70 $\phi$	74 $\phi$ /82 $\phi$	47 $\phi$	47 $\phi$	
96.	Model: RDL-D-11W-P140D-130D Round Downlight with diffuser with Pin heat sink	11W	66 $\phi$ /70 $\phi$	74 $\phi$ /82 $\phi$	45 $\phi$	47 $\phi$	
97.	Model: RDL-D-14W-P-138A-108 Round Downlight with diffuser with Pin heat sink	14W	91 $\phi$	99 $\phi$	65-66 mm $\phi$	69 $\phi$	
98.	Model: RDL-D-15W-P-119-127 Round Downlight with diffuser with Pin heat sink	15W	120 $\phi$	135 $\phi$	87 $\phi$	106 $\phi$	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

26 | Page

99.	Model: RDLD-15W-P119G-127 Round Downlight with diffuser with Pin heat sink	15W	135 $\emptyset$	147 $\emptyset$	87 $\emptyset$	106 $\emptyset$	
100.	Model: RDLD-16W-P119G-106 Round Downlight with diffuser with Pin heat sink	16W	135 $\emptyset$	147 $\emptyset$	87 $\emptyset$	106 $\emptyset$	
101.	Model: RDLD-18W-F-119-133 Round Downlight with diffuser with Fin heat sink	18W	120	135 $\emptyset$	87 $\emptyset$	106 $\emptyset$	
102.	Model: RDLD-18W-F-119G-133 Round Downlight with diffuser with Fin heat sink	18W	135 $\emptyset$	147 $\emptyset$	87 $\emptyset$	106 $\emptyset$	
103.	Model: RDLD-15W-F-V-15W-V- ring cast- Round Downlight with diffuser with heat sink	15W	170 $\emptyset$	180 $\emptyset$	75 $\emptyset$	135 $\emptyset$	
104.	Model: RDLD-15W-F-V-15W-V- ring spun Round Downlight with diffuser with heat sink	15W	170 $\emptyset$	184 $\emptyset$	75 $\emptyset$	135 $\emptyset$	
105.	Model: RDLD-30W-F-HE- Extru109-**-119GEx Round Downlight with diffuser with heat sink	30W (up to 50W)	135 $\emptyset$	147 $\emptyset$	87 $\emptyset$	110 $\emptyset$	



Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

27 | Page

## 13. Swivel Round Downlight Housings with Diffuser


(With Std. diffuser/Special Diffuser At Extra Cost. MCPCB available on request)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
106.	Model : SRDL-D-5W-F-140S-141S-111S  Round Downlight Swivel with Diffuser	5W	66 Ø /70 Ø	74 Ø /82Ø	45Ø		
107.	Model: SRDL-D-7W-P-138BS-140B-136B  Round Downlight Swivel with Diffuser	7W	91Ø	99Ø	45Ø	48mmØ	
108.	Model :-SRDL-D-11W-P+138C-140C-130C  Round Downlight Swivel with Diffuser	11W	91Ø	99Ø	45Ø	48mmØ	
109.	Model: SRDL-D-15W-P-117D-118-127  Round Downlight Swivel with Diffuser	15W	150Ø	160Ø	87mm Ø	Diffuser Mitsubi 108mm OD x 2 mm thick	
110.	Model: SRDL-D-16W-P-117D-118-106  Round Downlight Swivel with Diffuser	16W	150Ø	160Ø	87mm Ø	Diffuser Mitsubi 108mm OD x 2 mm thick	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

28 | Page

111.	Model: SRDL-D-18W-P-117D-118-133 Round Downlight Swivel with Diffuser	18W	150∅	160∅	87mm ∅	Diffuser Mitsubi 108mm OD x 2 mm thick	
112.	Model: SRDL-D-25W-P-117D-118-**-HSExtru109-** Round Downlight Swivel with Diffuser	25W to 30W	150∅	160∅	87mm /108 mm ∅	Diffuser Mitsubi 108mm OD x 2 mm thick	Photos on request by Whatsapp or email


Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

## 14. Square Downlight Housings with Diffuser

Suitable for SMD or Power LED

(With Std. diffuser. Special Diffuser At Extra Cost. MCPCB available on request)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
113.	Model: SDL-D-8W Square Downlight with Diffuser suitable for SMD or Power LED	8W max	85	100	50		Photos on request by Whatsapp or email
114.	Model: SDL-D-15W Square Downlight with Diffuser	12W	120	140	85		
115.	Model: SDL-D-20W-146-147 Square Downlight with Diffuser	16W-20W	140	160	95	122	
116.	Model: SDL-D-30W-143-144 Square Downlight with Diffuser	24 W -30W	160	190	115	142	






Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

30 | Page

## 15. Square Backlight Panel Light Housings

Suitable for SMD 5630 or other SMD 2835 or other.  
(With Std. diffuser. Special Diffuser At Extra Cost. MCPCB available on request)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
117.	Model: SBL-D-6W-159-160 Square Backlight Panel Light Housing suitable for SMD 5630 or other	6W	80	100	56	64	
118.	Model: SBL-D-12W-151-152 Square Backlight Panel Light Hsg.	9-12 W	100	120	76	84	
119.	Model: SBL-D-18W-153-154 Square Backlight Panel Light Hsg.	12-18W	130	150	108	114	
120.	Model: SBL-D-22W-155-156 Square Backlight Panel Light Hsg.	18-22W	160	180	141	148	
121.	Model: SBL-D-30W-157-158 Square Backlight Panel Light Hsg.	24-30W	196	220	168	179	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment


[Back to Top of Document](#)

31 | Page



## 16. Round Backlight Panel Light Housings

Suitable for SMD 5630 or other SMD 2835 or other.  
(With Std. diffuser. Special Diffuser At Extra Cost. MCPCB available on request)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
122.	Model: RBL-D-3W Round Backlight Panel Light Housing suitable for SMD 5630 or other	3 W	85	100	56		Photos on request by Whatsapp or email
123.	Model: RBL-D-6W Round Backlight Panel Light Hsg.	6W	95	120	65		Photos on request by Whatsapp or email
124.	Model: RBL-D-12W Round Backlight Panel Light Hsg.	12W	125	150	97		
125.	Model: RBL-D-18W Round Backlight Panel Light Hsg.	18W	145	170	117		
126.	Model: RBL-D-24W-24W Round Backlight Panel Light Hsg.	24W	175	200	146		Photos on request by Whatsapp or email

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

32 | Page

127. Model: RBL-D-30W  
Round Backlight Panel Light  
Hsg.

Up to  
30W

Photos on request  
by Whatsapp or  
email

---




Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

33 | Page

## 17. Round Backlight Panel Light Housings with Greater Height

Suitable for SMD 5630 or other SMD 2835 or other.  
(With Std. diffuser. Special Diffuser At Extra Cost. MCPCB available on request)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
128.	Model: RBL-H-D-4W- Round Backlight Panel Light Hsg.	4W	85	100	50		Photos on request by Whatsapp or email
129.	Model: RBL-H-D-4W- Round Backlight Panel Light Hsg.	8W					
130.	Model: RBL-H-D-4W- Round Backlight Panel Light Hsg.	12W					Photos on request by Whatsapp or email
131.	Model: RBL-H-D-18W- Round Backlight Panel Light Hsg.	18W	145	170	106		
132.	Model: RBL-H-D-24W- Round Backlight Panel Light Hsg.	24W	175	200	125		

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

34 | Page

## 18. Square (Edge Lit) Panel Light Housings

Does not include diffuser or LGP (M.O.Q. = 1000 nos.)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
133.	Model: SPL-LGP-4W Square Panel light Housing	4W	70	100			Photos on request by Whatsapp or email
134.	Model: SPL-LGP-8W Square Panel light Housing	8 W	100	120			Photos on request by Whatsapp or email
135.	Model: SPL-LGP-12W Square Panel light Housing	12W	130	150			Photos on request by Whatsapp or email
136.	Model: SPL-LGP-16W Square Panel light Housing	16W	160	180			
137.	Model: SPL-LGP-24W Square Panel light Housing	24W	196	220			

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment





[Back to Top of Document](#)

35 | Page

## 19. Round & Square Down Light Housings –With Indian Reflector

Suitable for COB

Economy Series H- R/S (M.O.Q.=1000 nos)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
138.	Model: R-SwDL-R-4W Round Swivel Down Light with Indian reflector	4W					Photos on request by Whatsapp or email
139.	Model: S-SwDL-R-4W Square Swivel Down Light with Indian reflector	4W					
140.	Model: R-SwDL-R-6W Round Swivel Down Light with Indian reflector	6W					
141.	Model: S-SwDL-R-6W Square Swivel Down Light with Indian reflector	6W					
142.	Model: R-SwDL-R-10W Round Swivel Down Light with Indian reflector	8 - 10W					

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

36 | Page

143. Model: S SwDL-R-10W  
Square Swivel Down Light with  
Indian reflector 8 -  
10W



144. Model: R/S SwDL-R-15W  
Round or square Swivel Down  
Light with Indian reflector 15W







Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

37 | Page

## 20. Floodlight Housings

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
145.	Model: FL-30W-143B-144B Flood light housing	30W					
146.	Model: FL-60W-162FL Flood light housing	60W					
147.	Model: FL-V-30W Flood light housing						
148.	Model: FL-V-Imp-30W Flood light housing						
149.	Model: FL-V-Imp-50W Flood light housing						
150.	Model: FL-MuS-30W to 150W Flood Light Housing	Up to 150W-5 models					

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

151. Model: FL-Mee-30W to 100W  
Flood Light Housing Up to  
100W-  
4  
models

---

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment





[Back to Top of Document](#)

39 | Page



## 21. Street Light Housings-Series V

(With Std. diffuser. Special Diffuser/Lenses At Extra Cost. MCPCB available on request)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
152.	Model: SL-20W-V Street Light Housing Pressure Die Cast	20W					
153.	Model: SL-30W-V Street Light Housing Pressure Die Cast	20W-30W					
154.	Model: SL-50W-V Street Light Housing Gravity Die Cast	40W-50W					
155.	Model: SL-40W-V Street Light Housing Gravity Die Cast	40W-50W					
156.	Model: SL-50W-162-163-164 Street Light Housing Pressure Die Cast	50W-70W					

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

40 | Page

## 22. Street Light Housings-Series M

(With Std. diffuser/Special Diffuser/Lenses At Extra Cost. MCPCB available on request)





Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
157.	Street Light Housing						

Model: SL-80W

## 23. Street Light Housings-Series S



With Std. diffuser.

Special Diffuser/Lenses At Extra Cost. MCPCB available on request  
Design, Data & Dimensions subject to change

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
158.	Model: SL-22W-SD-WOF Dolphin Model  Street Light Housing Pressure Die Cast	22W					
159.	Model: SL-20W-S-WOF  Street Light Housing Pressure Die Cast Without Frame	20W					
160.	Model: SL-20W-S-WF  Street Light Housing Pressure Die Cast With Frame	20W					
161.	Model: SL-30W-S-WOF  Street Light Housing Pressure Die Cast	30W					

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

162.	Model: SL-30W-S-WF Street Light Housing Pressure Die Cast With Frame	30W	
163.	Model: SL-50W-S-WF Street Light Housing Pressure Die Cast With Frame	50W	
164.	Model: SL-60W-S-WF Street Light Housing Pressure Die Cast With Frame	60W	
165.	Model: SL-80W-S-WF Street Light Housing Pressure Die Cast With Frame	80W	
166.	Model: SL-100W-S-WF Street Light Housing Pressure Die Cast With Frame	100 W	
167.	Model: SL-150W Street Light Housing Pressure Die Cast With Frame	150 W	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

Model :SL-50W-COB

168. 50W

Street Light Housing Suitable for  
COB 50W

---

Model :SL-50W-COB

169. 50W

Street Light Housing Suitable for  
COB 80W

---

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

44 | Page

## 24. High Bay LED Housing

(With Std. reflector. Suitable either for COB or SMD LED mounted on MCPCB)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
170.	HBL-50W	50W					Photos on request by Whatsapp or email
171.	HBL-100W	100 W					Photos on request by Whatsapp or email






Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

45 | Page

## 25. Custom LED Fitting Housings

(M.O.Q. = 500 nos. For Lesser Qty., 15% or more extra cost)  
(Dimensions & designs are subject to change & can be customized too.)

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
172.	Round Down Light 1W	1W	29mm $\phi$	35 mm OD x 26 mm Height			
173.	Recessed Round Down Light 1W	1W					
174.	Round Down Light With Spring toggle 1W	1W					
175.	Square Down Light 1W	1W	29mm $\phi$ & 26mm Height	54 mm Sq.			
176.	Recessed Round Down Light 3W	3W	40mm $\phi$ & 33 mm Height	46 mm OD			
177.	Round Downlight with Spring Toggle 3W	3W	32 mm Cutout / 34 mm height	44 mm OD			

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

178.	Sqaure Down Light with Spring Toggle 3W	3W	33 mm Cutout / 34 mm height	63 mm Sq.		
179.	Recessed Square Down Light 3W	3W	42 mm Cutout / 33 mm height	66 mm Sq		
180.	Deep Recess Round Down Light Fittings 5W	5W	60 mm Cutout / 51 mm height	67 mm OD	Lens	
181.	Deep Recess Square Down Light Fittings 5W	5W	46 mm Cutout / 52 mm height	92 mm Sq		
182.	Deep Recess Round Down Light Fittings 10W	10W	71 mm Cutout / 60 mm height	60 mm OD	Lens	
183.	Deep Recess Square Down Light Fittings 10W	10W	75 mm Cutout / 62 mm height	105 mm Sq		
184.	Round Down Light Fitting 12W	12W	70 mm Cutout / 70 mm height	80 mm OD		

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)







185.	Deep Recess Round Down Light (SMD) 15W	15W	106 mm Cutout / 52 mm height	136 mm OD	
186.	Round Down Light 20W	20W			
187.	Round Down Light 25W Front view	25W			
188.	Round Down Light (Big Height) 30W	30W			
189.	Swivel (Adjustable) Round Down Light With Spring toggle 5W	5W			
190.	Swivel (Adjustable) Round Down Light With Spring toggle 10W	10W	82 mm Cutout	90 mm OD	
191.	Round Down Light Adjustable 15W	15W			

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

48 | Page

192.	Round Down Light Adjustable 15W	15W			
193.	MR16 Adjustable-7W	7W	66 mm Cutout	81 mm OD	
194.	Up Down Light 6W	6W		48 mm OD - 125 mm long	
195.	Up Down Light 12W	12W		70 mm OD- 136 mm long	
196.	UP Light 3W	3W			
197.	Up Light 6W	6W		48 mm OD- 82 mm long	
198.	UP Light 10W	10W		51 mm OD- 85 mm long	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment






[Back to Top of Document](#)

199.	Surface Fitting 3W	3W	35 mm OD-78 mm long	
200.	Surface Fitting 6W	6W		
201.	Surface Fitting SS/Alu 6W	6W	97 mm OD-43 mm long	
202.	Surface Fitting 10W	10W	51 mm OD-88 mm long	
203.	Surface Fitting 18W	18W	160 mm OD-43 mm long	
204.	Recess Fitting 7W	7W		
205.	In ground Fitting SS Ring /Alu Body 6W suitable for SMD or TRIO Lense with 1W / 2W LED Model No.IGF-6W-RK	6W		

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

50 | Page

206.	In ground Fitting SS Ring /Alu Body 9W suitable for SMD or TRIO Lense with 1W / 2W/3W LED Model No.IGF-9W-RK	9W	88 mm OD-45 mm long Body With Plastic Cover 95 mm long	
207.	Foot Light Fixture 6W suitable for SMD or TRIO Lense with 1W / 2W LED Model No.FL-6W-MRK	6W	88m m OD-45 mm long Body With Plastic Cover 95 mm long	
208.	Walkover Fix Fitting SS/Alu 6W	6W	90 mm OD-114 mm long	
209.	Adjustable Walkover Fitting SS/Alu. 9W	9W		
210.	Fix Drive over Fitting SS/Alu.- 12W	12W		
211.	Underwater Fitting SS/GM/CH	3W	90 mm OD-110 mm long	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

51 | Page

212. Underwater Fitting SS/GM/CH  
9W 9W

108  
mm  
OD-  
122  
mm  
long








Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

52 | Page







## 26. Miscellaneous Light Fitting Housings

Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
213.	Surface Mounting Light	18W					
214.	Surface Mounting Light	30W					
215.	Surface Mounting Light	48W					
216.	Model: RDL-15W-Fortimo-138S-108 Modular Round fitting for Phillips Fortimo	15W	91	99	65-66 mm	69	
217.	Model: RDL-15W-Fortimo-138S-108 Modular Round fitting for Phillips Fortimo						
218.	Wall Washer Light Housing	Up to 18W					
219.	Eyeball swivel square flange downlight	1W					

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)






53 | Page

220.	Square Detachable Flange Swivel Downlight with diffuser With detachable outer square frame	18W	
221.	Round Down Light 15W-R with PC reflector similar to Philips	15W	
222.			
223.	Square DownLight 25W-R with PC reflector similar to Philips	25W	
224.	Underwater Fitting	11W	
225.	Outdoor Spot Light up to 50W IP-68	30W/ 40W/ 50W	
226.	Garden Light Fitting 6W	6W	
227.	Garden Light Fitting 12W	12W	Photos on request by Whatsapp or email

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

## 27. Heat Sinks








Sr. No.	Product Description	Watts	Cut-out Size (mm)	Outer Size (mm)	MCPCB Size (mm)	Diffuser Size (mm) / Reflector / Lens model	Photo
228.	Model: HS-126 Heat Sinks	5W		58	48		
229.	Model: HS-111 Heat Sinks	5W		46	42		
230.	Model: HS-131 Heat Sinks	5W		52	46		
231.	Model: HS-129S Heat Sinks without ring, reflector	6W		46		For COB	
232.	Model: HS-129S-X Heat Sinks without ring, reflector	6W				For COB	
233.	Model: HS-136 Heat Sinks	7W		56	47		
234.	Model: HS-112 Heat Sinks	7W		45.6	41		

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

55 | Page










235.	Model: HS-129S Heat Sinks without ring, reflector				
236.	Model: HS-129L Heat Sinks without ring, reflector	8W	46	For COB	
237.	Model: HS-130 Heat Sinks	11W	44.6	44	
238.	Model: HS-130B Heat Sinks	11W	52	45	
239.	Model: HS-108 Heat Sinks Suitable for ring ID= 70 mm & Window =64mm	12W	74	64	
240.	Model: HS-108B Heat Sinks Suitable for with ID= 66 mm & Window =60mm	12W	74	64	
241.	Model: HS-127 Heat Sinks	12W	109	90	

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

56 | Page

242.	Model: HS-106 Heat Sinks	14W	109	90	
243.	Model: HS-V-15 Heat Sinks	15W			
244.	Model: HS-133 Heat Sinks	18W	109	90	
245.	Model :- HS=V15W-Philip				
246.	Model: HS-Ext-109-30 Heat Sink Extruded	25W			
247.	Model: HS-Ext-109-60 Heat Sink Extruded	40W			
	Model: HS-Ext-109-90 Heat Sink Extruded	50W			

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

Model: HS-Ext-160-150

248.

Heat Sink Extruded

100W

Photos on request  
by Whatsapp or  
email

E. &amp; O. E.

Packing, Forwarding, Hamali, Freight etc. extra. VAT/CST extra.

Specifications are subject to change. Delivery at Vasai ex-stock or one week after receipt of payment

[Back to Top of Document](#)

58 | Page

Contact us at:



# M.R.ENGINEER

Plot No. 115, Mitesh Industrial Estate, Navghar, Vasai (E),

W. Rly. Dist. Thane 401210

Email: [info@mrengineer.net](mailto:info@mrengineer.net)

Website: [www.mrengineer.net](http://www.mrengineer.net)

Mobile: +91-9833641248

Tel: +91-250-2391302